



The Effect of Coenzyme Q10 on Human



After 36hr Incubation
* Significant compared to Ctrl P<0.05

6 713


The Effect of Coenzyme Q10 on Human Melanoma cell line SKMEL28



After 48hr Incubation
* Significant compared to Ctrl P<0.05

DIC 3


The Effect of Coenzyme Q10 Vehicle on Human Melanoma cell line SKMEL28



After 48hr Incubation

* Significant compared to Ctrl P<0.05 FIG. 4


Effect of Coenzyme Q10 on Apoptosis in Human Melanoma and Fibroblast Cells – Annexin PE Assay



* Significant compared to Ctrl P<0.05

FIG. 5


The Effect of Coenzyme Q10 on Squamous Carcinoma Cells



After 48hr Incubation

* Significant compared to Ctrl P<0.05 FI


The Effect of Coenzyme Q10 on Human Neonatal Fibroblast



After 48hr Incubation


* Significant compared to Ctrl P<0.05 FIG. 7

The Effect of Coenzyme Q10 on Human Neonatal Keratinocytes



After 48hr Incubation * Significant compared to Ctrl P<0.05 FIG. 8


The Effect of Rx The Effect of Coenzyme Q10 on Human Breast Adenocarcinoma MCF-7 Cell line



After 48hr Incubation

* Significant compared to Ctrl P<0.05

The Effect of Rx The Effect of Coenzyme Q10 on Human Breast Adenocarcinoma MCF-7 Cell line



After 72hr Incubation
* Significant compared to Ctrl P<0.05




FIG. 11






FIG. 12




Effect of Topical CoQ10 on SKMEL28 Tumor Mass in Nude Mice



Significant compared to Ctrl P<0.05

FIG 14

In Vitro Study of Human Breast Adenocarcinoma Cell Line SK-BR-3 Incubated in Medium Supplemented with Coenzyme Q10 for a 72 Hour Period




Control 0 µM CoQ10

100 μM CoQ10

200 μM CoQ10


Breast Cancer SK-BR-3 Cell Line The Effect of Coenzyme Q10 on



After 48hr Incubation

Significant compared to Ctrl P<0.05


Breast Cancer SK-BR-3 Cell Line The Effect of Coenzyme Q10 on



After 72hr Incubation


* Significant compared to Ctrl P<0.05

Breast Cancer MDA-MB-468 Cell Line The Effect of Coenzyme Q10 on



After 48hr Incubation
* Significant compared to Ctrl P<0.05

The Effect of Coenzyme Q10 on Breast Cancer MDA-MB-468 Cell




After 72hr Incubation

* Significant compared to Ctrl P<0.05

10 10


The Effect of Coenzyme Q10 on Breast Cancer BT-20 Cell Line



After 48hr Incubation


* Significant compared to Ctrl P<0.05

The Effect of Coenzyme Q10 on Breast Cancer BT-20 Cell Line



After 72hr Incubation
* Significant compared to Ctrl P<0.05


The Effect of Coenzyme Q10 on Liver Cancer Hep 3B Cell Line



After 48hr Incubation

* Significant compared to Ctrl P<0.05

The Effect of Coenzyme Q10 on Liver Cancer Hep 3B Cell Line




After 72hr Incubation

* Significant compared to Ctrl P<0.05

FLC 23

The Effect of Coenzyme Q10 on Osteosarcoma 143B Cell Line




After 48hr Incubation

* Significant compared to Ctrl P<0.05

RIG 24


The Effect of Coenzyme Q10 on Osteosarcoma 143B Cell Line



After 72hr Incubation

* Significant compared to Ctrl P<0.05

The Effect of Coenzyme Q10 on Prostate PC-3 Cancer Cell Line




After 48hr Incubation

* Significant compared to Ctrl P<0.05

3C 51E

The Effect of Coenzyme Q10 on Prostate PC-3 Cancer Cell Line



After 72hr Incubation

* Significant compared to Ctrl P<0.05

Q10 and Mitochondria permeability in PC-3 cells: a uptake

